

In the claims

1. (Previously presented) A method for forming a poly(ester amide) (PEA) coating with enhanced mechanical and release rate properties, comprising:


applying to an implantable device a solution or suspension of a composition comprising a PEA and a low surface energy, surface blooming polymer, and

forming a coating on the implantable device comprising PEA and the low surface energy, surface blooming polymer,

wherein the low surface energy, surface blooming polymer comprises a PEA miscible block or PEA miscible backbone.

2. (Previously presented) The method of claim 1 wherein the low surface energy, surface blooming polymer is selected from the group consisting of a block copolymer comprising a block miscible with the PEA and a hydrophobic block, a polymer comprising a backbone miscible with PEA and hydrophobic pendant groups, and a combination thereof.

3. (Original) The method of claim 1 wherein the low surface energy polymer is selected from the group consisting of formulae I-IV of the following structure:



wherein A is a PEA miscible block or PEA miscible backbone, and

wherein B is selected from the group consisting of a surface blooming block and a surface blooming pendant group.

4. (Previously presented) The method of claim 3 wherein A is selected from the group consisting of poly(ester-urea) urethane, polyglycol, poly(tetramethylene glycol), poly(propylene glycol), polycaprolactone, ethylene vinyl alcohol copolymer, poly(butyl

methacrylate), poly(methacrylate), poly(acrylate), poly(ether-urethane), poly(ester-urethane), poly(carbonate-urethane), poly(silicone-urethane), poly(urea-urethane), poly(glycolide), poly(L-lactide), poly(l-lactide-co-glycolide), poly(D,L-lactide), poly(D,L-lactide-co-glycolide), poly(D,L-lactide-co-L-lactide), poly(glycolide-co-caprolactone), poly(D,L-lactide-co-caprolactone), poly(L-lactide-co-caprolactone), poly(dioxanone), poly(trimethylene carbonate), poly(trimethylene carbonate) copolymers, poly(3-hydroxybutyrate), poly(3-hydroxyvalerate), poly(4-hydroxybutyrate), poly(3-hydroxybutyrate-co-3-hydroxyvalerate), styrene-isobutylene-styrene triblock copolymer, poly(ethylene-co-vinyl acetate), and a combination thereof; and

wherein B is selected from the group consisting of a linear or branched alkyl chain, polysilanes, polysiloxanes, poly(dimethylsiloxane), a linear or branched perfluoro chain, and a combination thereof.

5. (Original) The method of claim 1 wherein the low surface energy polymer is selected from the group consisting of organosilicone surfactants, block copolymers of alkyl chains with polyglycol chains, fluoro surfactants, block copolymers of polydimethylsiloxane and polycaprolactone, polyurethanes end-capped with long chain perfluoro alcohols, poly(ester-urea)urethanes end-capped with long chain perfluoroalcohols, polyurethanes end-capped with alkyl chains, polyurethanes end-capped with polydimethylsiloxane, copolymers of polycaprolactone and fluoroalcohols, and combinations thereof.

6. (Original) The method of any of claims 1-5 wherein the composition further comprises a bioactive agent.

7. (Original) The method of claim 6 wherein the bioactive agent is selected from the group consisting of Everolimus, paclitaxel, docetaxel, estradiol, steroidal anti-inflammatory agents, antibiotics, anticancer agents, nitric oxide donors, super oxide dismutases, super oxide

dismutases mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), ABT-578, tacrolimus, pimecrolimus, batimastat, mycophenolic acid, clobetasol, dexamethasone, rapamycin, 40-*O*-(3-hydroxy)propyl-rapamycin, 40-*O*-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, or 40-*O*-tetrazole-rapamycin, antiproliferative agents, non-steroidal anti-inflammatory agents, immunosuppressive agents, antimigratory agents, and a combination thereof.

8. (Previously presented) A method for forming a poly(ester amide) (PEA) coating with enhanced mechanical and release rate properties, comprising:

applying to an implantable device a solution or suspension of a composition comprising a PEA and at least one low surface energy polymer additive, and

forming a coating on the implantable device comprising PEA and the at least one low surface energy polymer additive,

wherein the at least one low surface energy polymer additive comprises a PEA miscible block or PEA miscible backbone.

9. (Original) The method of claim 8 wherein the at least one low surface energy polymer additive is selected from the group consisting of Teflon (poly(tetrafluoroethylene), FEP (fluorinated ethylene-propylene), poly(tetrafluoroethylene-co-hexafluoropropene), PVDF (polyvinylidene fluoride), poly(fluoroalkenes), polysilanes, polysiloxanes, silicone (polydimethylsiloxane), hydrocarbon polymers, polyethylene, polypropylene, polystyrene, polybutadiene and combinations thereof.

10. (Original) The method of claims 8 or 9 wherein the composition further comprises a bioactive agent.


11. (Original) The method of claim 10 wherein the bioactive agent is selected from the group consisting of Everolimus, paclitaxel, docetaxel, estradiol, steroidal anti-inflammatory

agents, antibiotics, anticancer agents, nitric oxide donors, super oxide dismutases, super oxide dismutases mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), ABT-578, tacrolimus, pimecrolimus, batimastat, mycophenolic acid, clobetasol, dexamethasone, rapamycin, 40-*O*-(3-hydroxy)propyl-rapamycin, 40-*O*-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, or 40-*O*-tetrazole-rapamycin, antiproliferative agents, non-steroidal anti-inflammatory agents, immunosuppressive agents, antimigratory agents, and a combination thereof.

12. (Previously presented) A coating composition for coating an implantable device comprising a poly(ester amide) (PEA) and a low surface energy, surface blooming polymer, wherein the low surface energy, surface blooming polymer comprises a PEA miscible block or PEA miscible backbone.

13. (Previously presented) The composition of claim 13 wherein the low surface energy, surface blooming polymer is selected from the group consisting of a block copolymer comprising a block miscible with the PEA and a hydrophobic block, a polymer comprising a backbone miscible with PEA and hydrophobic pendant groups, and a combination thereof.

14. (Original) The composition of claim 12 wherein the low surface energy, surface blooming polymer is selected from the group consisting of formulae I-IV of the following structure:



wherein A is a PEA miscible block or PEA miscible backbone, and

wherein B is selected from the group consisting of a surface blooming block and a surface blooming pendant group.

15. (Original) The composition of claim 14 wherein A is selected from the group consisting of polyurethane, poly(ester-urea) urethane, polyglycol, poly(tetramethylene glycol), poly(propylene glycol), polycaprolactone, ethylene vinyl alcohol copolymer, poly(butyl methacrylate), poly(methacrylate), poly(acrylate), and a combination thereof; and

wherein B is selected from the group consisting of a linear or branched alkyl chain, polysilanes, polysiloxanes, poly(dimethylsiloxane), a linear or branched perfluoro chain, and a combination thereof.

16. (Original) The composition of claim 15 wherein the low surface energy, surface blooming polymer is selected from the group consisting of organosilicone surfactants, block copolymers of alkyl chains with polyglycol chains, fluoro surfactants, block copolymers of polydimethylsiloxane and polycaprolactone, polyurethanes endcapped with long chain perfluoro alcohols, poly(ester-urea)urethanes endcapped with long chain perfluoro alcohols, polyurethanes endcapped with alkyl chains, polyurethanes endcapped with polydimethylsiloxane, and combinations thereof.

17. (Original) The composition of any of claims 12-16 further comprising a bioactive agent.

18. (Original) The composition of claim 17 wherein the bioactive agent is selected from the group consisting of Everolimus, paclitaxel, docetaxel, estradiol, steroidal anti-inflammatory agents, antibiotics, anticancer agents, nitric oxide donors, super oxide dismutases, super oxide dismutases mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), ABT-578, tacrolimus, pimecrolimus, batimastat, mycophenolic acid, clobetasol, dexamethasone, rapamycin, 40-*O*-(3-hydroxy)propyl-rapamycin, 40-*O*-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, or 40-*O*-tetrazole-rapamycin, antiproliferative agents, non-

steroidal anti-inflammatory agents, immunosuppressive agents, antimigratory agents, and a combination thereof.

19. (Previously presented) A coating composition for coating an implantable device comprising a poly(ester amide) (PEA) and at least one low surface energy polymer additive, wherein the at least one low surface energy polymer additive comprises a PEA miscible block or PEA miscible backbone.

20. (Original) The composition of claim 19 wherein the at least one low surface energy polymer additive is selected from the group consisting of Teflon (poly(tetrafluoroethylene), FEP (fluorinated ethylene-propylene), poly(tetrafluoroethylene-co-hexafluoropropene), PVDF (polyvinylidene fluoride), poly(fluoroalkenes), polysilanes, polysiloxanes, silicone (polydimethylsiloxane), hydrocarbon polymers, polyethylene, polypropylene, polystyrene, polybutadiene and combinations thereof.


21. (Original) The composition of claims 19 or 20 further comprising a bioactive agent.

22. (Original) The composition of claim 21 wherein the bioactive agent is selected from the group consisting of Everolimus, paclitaxel, docetaxel, estradiol, steroidal anti-inflammatory agents, antibiotics, anticancer agents, nitric oxide donors, super oxide dismutases, super oxide dismutases mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), ABT-578, tacrolimus, pimecrolimus, batimastat, mycophenolic acid, clobetasol, dexamethasone, rapamycin, 40-*O*-(3-hydroxy)propyl-rapamycin, 40-*O*-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, or 40-*O*-tetrazole-rapamycin, antiproliferative agents, non-steroidal anti-inflammatory agents, immunosuppressive agents, antimigratory agents, and a combination thereof.

23. (Previously presented) An implantable device comprising a coating which comprises a poly(ester amide) (PEA) and a low surface energy, surface blooming polymer, wherein the low surface energy, surface blooming polymer comprises a PEA miscible block or PEA miscible backbone.

24. (Previously presented) The implantable device of claim 23 wherein the low surface energy, surface blooming polymer is selected from the group consisting of a block copolymer comprising a block miscible with the PEA and a hydrophobic block, a polymer comprising a backbone miscible with PEA and hydrophobic pendant groups, and a combination thereof.

25. (Original) The implantable device of claim 24 wherein the low surface energy, surface blooming polymer is selected from the group consisting of formulae I-IV of the following structure:



wherein A is a PEA miscible block or PEA miscible backbone, and

wherein B is selected from the group consisting of a surface blooming block and a surface blooming pendant group.

26. (Original) The implantable device of claim 25 wherein A is selected from the group consisting of polyurethane, poly(ester-urea) urethane, polyglycol, poly(tetramethylene glycol), poly(propylene glycol), polycaprolactone, ethylene vinyl alcohol copolymer, poly(butyl methacrylate), poly(methacrylate), poly(acrylate), and a combination thereof; and

wherein B is selected from the group consisting of a linear or branched alkyl chain, polysilanes, polysiloxanes, poly(dimethylsiloxane), a linear or branched perfluoro chain, and a combination thereof.

27. (Original) The implantable device of claim 26 wherein the low surface energy, surface blooming polymer is selected from the group consisting of organosilicone surfactants, block copolymers of alkyl chains with polyglycol chains, fluoro surfactants, block copolymers of polydimethylsiloxane and polycaprolactone, polyurethanes endcapped with long chain perfluoro alcohols, poly(ester-urea)urethanes endcapped with long chain perfluoro alcohols, polyurethanes endcapped with alkyl chains, polyurethanes endcapped with polydimethylsiloxane, and combinations thereof.

28. (Original) The implantable device of any of claims 23-27 further comprising a bioactive agent.

29. (Original) The implantable device of claim 28 wherein the bioactive agent is selected from the group consisting of Everolimus, paclitaxel, docetaxel, estradiol, steroidal anti-inflammatory agents, antibiotics, anticancer agents, nitric oxide donors, super oxide dismutases, super oxide dismutases mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), ABT-578, tacrolimus, pimecrolimus, batimastat, mycophenolic acid, clobetasol, dexamethasone, rapamycin, 40-*O*-(3-hydroxy)propyl-rapamycin, 40-*O*-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, or 40-*O*-tetrazole-rapamycin, antiproliferative agents, non-steroidal anti-inflammatory agents, immunosuppressive agents, antimigratory agents, and a combination thereof.

30. (Previously presented) An implantable device comprising a coating which comprises a poly(ester amide) (PEA) and at least one low surface energy polymer additive,

wherein the at least one low surface energy polymer additive comprises a PEA miscible block or PEA miscible backbone.

31. (Original) The implantable device of claim 30 wherein the at least one low surface energy polymer additive is selected from the group consisting of Teflon (poly(tetrafluoroethylene), FEP (fluorinated ethylene-propylene), poly(tetrafluoroethylene-co-hexafluoropropene), PVDF (polyvinylidene fluoride), poly(fluoroalkenes), polysilanes, polysiloxanes, silicone (polydimethylsiloxane), hydrocarbon polymers, polyethylene, polypropylene, polystyrene, polybutadiene and combinations thereof.

32. (Original) The implantable device of claims 30 or 31 further comprising a bioactive agent.

33. (Original) The implantable device of claim 32 wherein the bioactive agent is selected from the group consisting of Everolimus, paclitaxel, docetaxel, estradiol, steroidal anti-inflammatory agents, antibiotics, anticancer agents, nitric oxide donors, super oxide dismutases, super oxide dismutases mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), ABT-578, tacrolimus, pimecrolimus, batimastat, mycophenolic acid, clobetasol, dexamethasone, rapamycin, 40-*O*-(3-hydroxy)propyl-rapamycin, 40-*O*-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, or 40-*O*-tetrazole-rapamycin, antiproliferative agents, non-steroidal anti-inflammatory agents, immunosuppressive agents, antimigratory agents, and a combination thereof.

34. (Original) The implantable device of claim 23 which is a stent.

35. (Original) The implantable device of claim 24 which is a stent.

36. (Original) The implantable device of claim 25 which is a stent.

37. (Original) The implantable device of claim 26 which is a stent.

- 38. (Original) The implantable device of claim 27 which is a stent.
- 39. (Original) The implantable device of claim 30 which is a stent.
- 40. (Original) The implantable device of claim 31 which is a stent.
- 41. (Original) The implantable device of claim 28 which is a drug-eluting stent.
- 42. (Original) The implantable device of claim 29 which is a drug-eluting stent.
- 43. (Original) The implantable device of claim 32 which is a drug-eluting stent.
- 44. (Original) The implantable device of claim 33 which is a drug-eluting stent.
- 45. (Original) A method of treating a disorder in a human being by implanting in the

human being a stent as defined in claim 34,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

- 46. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 35,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

- 47. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 36,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque,

chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

48. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 37,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

49. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 38,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

50. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 39,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

51. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 42,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

52. (Original) A method of treating a disorder in a human being by implanting in the human being a stent as defined in claim 44,

wherein the disorder is selected from the group consisting of atherosclerosis, thrombosis, restenosis, hemorrhage, vascular dissection or perforation, vascular aneurysm, vulnerable plaque, chronic total occlusion, claudication, anastomotic proliferation for vein and artificial grafts, bile duct obstruction, ureter obstruction, tumor obstruction, and combinations thereof.

53. (Previously presented) The method of claim 1, wherein the coating is biologically benign.

54. (Previously presented) The method of claim 8, wherein the coating is biologically benign.

55. (Previously presented) The coating of claim 12, which is biologically benign.

56. (Previously presented) The coating of claim 19, which is biologically benign.

57. (Previously presented) The implantable device of claim 23, wherein the coating is biologically benign.

58. (Previously presented) The implantable device of claim 30, wherein the coating is biologically benign.